

10 Aug 2026 Toshi. Saito

Storage Location: Pharmacy of Nagasaki University Hospital

Month	Year
7	2026

Day of Month	Non Business Day	Time of reading 24-hr clock	Refrigerator 1 Logger ③			Refrigerator 2 Logger ⑤			Refrigerator 4 Logger ⑨			Refrigerator 5 Logger ⑫			Refrigerator 6 Logger ⑮			Room Logger ①			MONITORING (✓)	INITIALS
			Temperatur ° (°C)	Alert (✓)	NoAlert (✓)	Temperatur ° (°C)	Alert (✓)	NoAlert (✓)	Temperatur ° (°C)	Alert (✓)	NoAlert (✓)	Temperatur ° (°C)	Alert (✓)	NoAlert (✓)	Temperatur ° (°C)	Alert (✓)	NoAlert (✓)	Temperatur ° (°C)	Alert (✓)	NoAlert (✓)		
1		16:25	3.1		✓				5.4		✓	4.7		✓	5.2		✓	21.9		✓	✓	S.K
2		16:35	3.8		✓				5.9		✓	4.0		✓	5.2		✓	22.1		✓	✓	T.S
3		14:10	5.1		✓				5.3		✓	5.3		✓	5.3		✓	22.3		✓	✓	S.K
4	✓																					
5	✓																					
6		16:50	5.0		✓				5.6		✓	4.0		✓	5.0		✓	22.3		✓	✓	S.K
7		15:50	3.0		✓				5.8		✓	5.0		✓	5.4		✓	22.3		✓	✓	S.K
8		16:30	4.0		✓				5.6		✓	4.0		✓	5.0		✓	22.2		✓	✓	T.S
9		16:20	5.1		✓				6.0		✓	4.8		✓	5.5		✓	22.4		✓	✓	S.K
10		16:30	3.7		✓				5.5		✓	5.2		✓	5.5		✓	22.1		✓	✓	M.K
11	✓														5.2		✓					
12	✓																					
13		16:25	3.4		✓	3.6		✓	5.9		✓	4.1		✓	5.6		✓	22.3		✓	✓	K.W
14		16:45	3.8		✓	3.3		✓	5.5		✓	4.4		✓	5.4		✓	22.3		✓	✓	K.W
15		17:10	4.6		✓	4.3		✓	5.9		✓	3.7		✓	4.8		✓	22.2		✓	✓	K.W
16		16:40	4.0		✓	2.8		✓	5.2		✓	4.2		✓	4.9		✓	22.2		✓	✓	M.K
17		11:35	3.7		✓	3.6		✓	5.5		✓	5.1		✓	4.8		✓	22.1		✓	✓	S.K
18	✓																					
19	✓																					
20	✓																					
21		16:30	4.7		✓	2.5		✓	5.5		✓	5.0		✓	4.8		✓	22.2		✓	✓	K.W
22		16:30	4.6		✓	4.3		✓	5.2		✓	3.7		✓	4.8		✓	21.9		✓	✓	S.K
23		16:45	4.5		✓	4.0		✓	5.6		✓	4.9		✓	5.0		✓	22.2		✓	✓	S.K
24		16:45	4.1		✓	2.9		✓	5.8		✓	5.1		✓	4.9		✓	22.1		✓	✓	S.K
25	✓																					
26	✓																					
27		16:20	4.1		✓	3.4		✓	5.2		✓	4.2		✓	4.8		✓	21.7		✓	✓	K.W
28		16:35	2.8		✓	2.7		✓	5.2		✓	5.1		✓	4.9		✓	22.1		✓	✓	M.K
29		16:40	4.5		✓	2.4		✓	5.4		✓	4.8		✓	5.2		✓	22.0		✓	✓	S.K
30		16:40	3.3		✓	3.5		✓	5.7		✓	4.6		✓	5.0		✓	22.0		✓	✓	PK
31		17:00	5.0		✓	4.4		✓	5.0		✓	3.6		✓	4.8		✓	21.8		✓	✓	M.K

* No records due to the public holiday.

Refrigerator No.		1	2	4	5	6	INITIALS
Day of Month	Time of reading 24-hr clock	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	
17	16:00	✓	✓	✓	✓	✓	T.S

口カ-⑤

冷蔵庫後旧したため.

7/13 ~ モニタリング再開

T.S