

10 Aug 2026 Tochi Saito

Storage Location: Pharmacy of Nagasaki University Hospital

Month	Year
7	2026

Day of Month	Non Business Day	Time of reading 24-hr clock	Refrigerator 1 Logger ④			Refrigerator 2 Logger ⑥			Refrigerator 4 Logger ⑩			Refrigerator 5 Logger ⑧			Refrigerator 6 Logger ⑬			Room Logger ②			MONITORING (✓)	INITIALS
			Temperatur (°C)	Alert (✓)	NoAlert (✓)	Temperatur (°C)	Alert (✓)	NoAlert (✓)	Temperatur (°C)	Alert (✓)	NoAlert (✓)	Temperatur (°C)	Alert (✓)	NoAlert (✓)	Temperatur (°C)	Alert (✓)	NoAlert (✓)	Temperatur (°C)	Alert (✓)	NoAlert (✓)		
1		16:25	4.7		✓				5.3		✓	5.7		✓	4.8		✓	21.5		✓	✓	S.K
2		16:35	4.7		✓				5.4		✓	5.8		✓	5.0		✓	21.4		✓	✓	T.S
3		14:10	4.8		✓				5.4		✓	5.7		✓	5.0		✓	21.7		✓	✓	S.K
4	✓																					
5	✓																					
6		16:50	4.8		✓				5.4		✓	5.8		✓	4.7		✓	21.8		✓	✓	S.K
7		15:50	4.8		✓				5.4		✓	5.8		✓	5.2		✓	21.8		✓	✓	S.K
8		16:30	5.2		✓				5.4		✓	5.6		✓	4.8		✓	21.5		✓	✓	T.S
9		16:20	5.2		✓				5.6		✓	5.7		✓	5.3		✓	21.9		✓	✓	S.K
10		16:30	5.3		✓				5.5		✓	5.6		✓	5.2		✓	21.7		✓	✓	H.K
11	✓																					
12	✓																					
13		16:25	5.1		✓	5.9		✓	5.5		✓	5.5		✓	5.0		✓	22.0		✓	✓	K.W
14		16:45	4.6		✓	5.9		✓	5.5		✓	5.7		✓	5.2		✓	21.5		✓	✓	K.W
15		17:10	4.0		✓	6.0		✓	5.6		✓	5.6		✓	4.7		✓	22.0		✓	✓	K.W
16		16:40	5.0		✓	6.0		✓	5.5		✓	5.6		✓	4.8		✓	21.4		✓	✓	H.K
17		11:35	5.0		✓	5.9		✓	5.4		✓	5.6		✓	4.8		✓	22.0		✓	✓	S.K
18	✓																					
19	✓																					
20	✓																					
21		16:30	4.8		✓	5.9		✓	5.6		✓	5.7		✓	4.7		✓	21.2		✓	✓	K.W
22		16:30	4.8		✓	5.9		✓	5.3		✓	5.7		✓	4.7		✓	21.4		✓	✓	S.K
23		16:45	4.7		✓	5.8		✓	5.4		✓	5.7		✓	4.8		✓	21.9		✓	✓	S.K
24		16:45	5.0		✓	5.9		✓	5.5		✓	5.6		✓	4.7		✓	22.0		✓	✓	S.K
25	✓																					
26	✓																					
27		16:20	4.9		✓	5.9		✓	5.4		✓	5.5		✓	4.7		✓	21.2		✓	✓	K.W
28		16:35	4.8		✓	5.7		✓	5.4		✓	5.6		✓	4.6		✓	21.2		✓	✓	H.K
29		16:40	4.8		✓	5.7		✓	5.4		✓	5.7		✓	5.0		✓	22.0		✓	✓	S.K
30		16:40	4.6		✓	5.7		✓	5.4		✓	5.7		✓	5.0		✓	21.8		✓	✓	M.K
31		17:00	4.8		✓	5.7		✓	5.5		✓	5.6		✓	4.9		✓	21.4		✓	✓	M.K

Refrigerator No.		1	2	4	5	6	INITIALS
Day of Month	Time of reading 24-hr clock	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	
17	16:00	✓	✓	✓	✓	✓	T.S

口か-⑥

冷蔵庫後旧したため。

7/13 ~ 7 = 9:17 再開 T.S